

# PRODUCT DATA SHEET

Bioworld Technology,Inc.

# IPP2 (Q116) polyclonal antibody

Catalog: AP0459 Host: Rabbit Reactivity: Human, Mouse, Rat

### **BackGround:**

Two inhibitors of protein phosphatase 1 (PP1) include the phosphatase inhibitor 1 (IPP-1) and phosphatase inhibitor 2 (IPP-2). IPP-2, also known as I-2, interacts with the catalytic subunit of PP1 to form the heterodimer PP1I. The PP1I complex is present in the cytosol of cells in a broad range of vertebrate and invertebrate species. Although the heterodimer itself is inactive, a reversible phosphorylation of IPP-2 at Thr 72 by glycogen-synthase-kinase (GSK3) initiates activation of the heterodimer complex in vitro. Phosphorylation of IPP-2 by casein kinase-II at Ser 86, Ser 120, and Ser 121 enhances the rate of phosphorylation by GSK3 at Thr 72 and effectively activates the heterodimer complex. Besides moderating PP1 activity, IPP-2 may play a role as a chaperone for the correct folding of PP1.

## **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

## **Molecular Weight:**

~ 30 kDa

## **Swiss-Prot:**

P41236

## **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 107% (by SDS-PAGE).

## **Applications:**

WB: 1:1000~1:2000


## Storage&Stability:

Store at  $4 \, \mathbb{C}$  short term. Aliquot and store at  $-20 \, \mathbb{C}$  long term. Avoid freeze-thaw cycles.

## **Specificity:**

IPP2(Q116) polyclonal antibody detects endogenous levels of IPP2 protein.

## **DATA:**



Western blot (WB) analysis of IPP2 (Q116) pAb at 1:2000 dilution

Lane1:EC9706 whole cell lysate(40ug)

Lane2:HCT116 whole cell lysate(40ug)

Lane3:AML-12 whole cell lysate(40ug)

Lane4:H9C2 whole cell lysate(40ug)

#### Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151