

PRODUCT DATA SHEET

Bioworld Technology,Inc.

elF3ε (V116) polyclonal antibody

Catalog: BS3296 Host: Rabbit Reactivity: Human, Mouse, Rat

BackGround:

Translation initiation in eukaryotes necessitates the assembly of an 80S ribosomal complex containing methionyl initiator tRNA (Met-tRNAiMet), which is base paired at the initiation codon (AUG, GUG) in eligible transcripts. Eukaryotic initiation factors (eIFs) are utilized in a sequence of reactions that leads to 80S ribosomal assembly and initiation of translation. Eukaryotic initiation factor 3 (eIF3) is the largest family of eIFs and consists of at least 12 unique subunits in mammals. eIFe, also known as eIF p47, binds to the 40S ribosome and promotes the binding of methionyl-tRNAi and mRNA and associates with the complex p170-eIF3.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 47 kDa

Swiss-Prot:

O00303

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000 IHC: 1:50~1:200


Storage&Stability:

Store at $4 \,\mathrm{C}$ short term. Aliquot and store at $-20 \,\mathrm{C}$ long term. Avoid freeze-thaw cycles.

Specificity:

eIF3ε (V116) polyclonal antibody detects endogenous levels of eIF3ε protein.

DATA:




Western blot (WB) analysis of eIF3ε (V116) pAb at 1:1000 dilution

Lane1:The Testis tissue lysate of Mouse(40ug)

Lane2:The Testis tissue lysate of Rat(40ug)

Lane3:Hela whole cell lysate(40ug)

Lane4:Panc1 whole cell lysate(40ug)



Immunohistochemistry (IHC) analyzes of eIF3 ϵ (V116) pAb in paraffin-embedded human tonsil carcinoma tissue at 1:50.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: <u>info@biogot.com</u>
Tel: 0086-025-68037686
Fax: 0086-025-68035151