

## Lamin B1 mouse monoclonal antibody-HRP

Catalog: AP1023MH

Host: Mo

Mouse

Reactivity: Human, Mouse, Rat

#### **BackGround:**

An important part of the nucleus is formed by nuclear lamina. Nuclear lamins form a network of filaments at the nucleoplasmic site of the nuclear membrane. Two main subtypes of nuclear lamins can be distinguished, i.e. A type lamins and B type lamins. The A type lamins comprise a set of three proteins arising from the same gene by alternative splicing, i.e. lamin A, lamin C and lamin Adel10, while the B-type lamins include two proteins arising from two distinct genes, i.e. lamin B1 and lamin B2. The nuclear lamins comprise a unique subclass of the intermediate filament protein family. They share a molecular domain organisation with the other intermediate filament proteins in that they are fibrous molecules that have an aminoterminal globular head, a central rod of alpha helices and a carboxy terminal globular domain. Many biochemical and molecular features of lamins have been studied, but their functions remain still largely undetermined. One of the functions ascribed to the lamina is the maintenance of the structural integrity of the nucleus.

#### **Product:**

0.5mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

~ 66 kDa

**Swiss-Prot:** 

#### P20700

**Purification&Purity:** 

6122933841

Fax:

The antibody was affinity-purified from cell culture supernatant by protein A+G and the purity is > 95% (by

SDS-PAGE).

Applications:

WB: 1:5000~1:20000


#### **Storage&Stability:**

Store at  $4 \,^{\circ}$  short term. Aliquot and store at  $-20 \,^{\circ}$  long term. Avoid freeze-thaw cycles.

#### **Specificity:**

Lamin B1-HRP monoclonal antibody detects endogenous levels of Lamin B1 protein.

#### **DATA:**



Western blot (WB) analysis of Lamin B1 monoclonal antibody-HRP at 1:5000 dilution

Lane1:HepG2 whole cell lysate(20ug)

Lane2:Hela whole cell lysate(20ug)

Lane3:A549 whole cell lysate(20ug)

Lane4:HEK293T whole cell lysate(20ug)

Lane5: The Spleen tissue lysate of Mouse(20ug)

#### Note:

For research use only, not for use in diagnostic procedure.

# Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,<br/>MN 55416,USA.Email:info@bioworlde.comTel:6123263284

### Bioworld technology, co. Ltd.

 
 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151