PRODUCT DATA SHEET



Bioworld Technology,Inc.

Recombinant FGF-basic, Mouse

Catalog Number: BK0057-50µg Source: Escherichia coli. Quantity: 50µg

Description:

Fibroblast Growth Factor-basic (FGF-basic), also known as HBGF-2, is a non-glycosylated heparin-binding growth factor that belongs to the FGF family. FGF-basic is present in basement membranes and in the subendothelial extracellular matrix of blood vessels. FGF-basic signals through FGFR1, 2, 3 and 4 that plays an important role in the regulation of cell survival, cell division, angiogenesis, cell differentiation and cell migration. Recombinant mouse Fibroblast Growth Factor-basic (rmFGF-basic) produced in E.coli is a single non-glycosylated polypeptide chain containing 146 amino acids. A fully biologically active molecule, rmFGF-basic has a molecular mass of 16.4 kDa analyzed by reducing SDS-PAGE and is obtained chromatographic proprietary techniques GenScript.

Molecular Weight:

16.4 kDa, observed by reducing SDS-PAGE.

Purity:

> 95% by SDS-PAGE and HPLC analyses.

Biological Activity:

ED50 < 0.5 ng/ml, measured by a cell proliferation assay using 3T3 Cells, corresponding to a specific activity of $> 2.0 \times 10^{\circ}6$ units/mg.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized after extensive dialysis against PBS.

AA Sequence:

MPALPEDGGAAFPPGHFKDPKRLYCKNGGFFL-RIHPDGRVDGVREKS-

DPHVKLQLQAEERGVVSIKGVCANRYLAMKED-MKEDGRLLASKCVTEECFFFERLESNNYNTYRS-GRLLASKCVTEECFFFERLESNNYNTYRS-RKYSSWYVALKRTGQYKLGSKTGPGQKAIL-FLPMSAKS

Endotoxin:

< 0.2 EU/µg, determined by LAL method.

Reconstitution:

Reconstituted in ddH2O at 100 µg/ml.

Storage:

Lyophilized recombinant mouse Fibroblast Growth Factor-basic (rmFGF-basic) remains stable up to 6 months at -80 °C from date of receipt. Upon reconstitution, rmFGF-basic should be stable up to 2 weeks at 4 °C or up to 3 months at -20 °C.

Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.