

PRODUCT DATA SHEET



Bioworld Technology, Inc.

Recombinant NT-4, Human

Catalog Number: BK0144-10µg

Source: Escherichia coli.

Quantity: 10µg

Description:

Neurotrophin-4 (NT-4), also known as NT-5, is a neurotrophic factor structurally related to β -NGF, BDNF, and NT-3. Human NT-4 shares 48 - 52% aa sequence identity with human β -NGF, BDNF, and NT-3. Neurotrophins have six conserved cysteine residues that are involved in the formation of three disulfide bonds. NT-4 is expressed highest levels in prostate, lower levels in thymus, placenta, and skeletal muscle. NT-4 binds and induces receptor dimerization and activation of TrkB. NT-4 can signal through TrkB receptors and promotes the survival of peripheral sensory sympathetic neurons. Recombinant human Neurotrophin-4 (rhNT-4) produced in E.coli is a noncovalently linked homodimer containing two non-glycosylated polypeptide chains of 131 amino acids. A fully biologically active molecule, rhNT-4 has a molecular mass of 28.1kDa analyzed by reducing SDS-PAGE and is obtained by proprietary chromatographic techniques at GenScript.

Molecular Weight:

28.1 kDa, a noncovalently linked homodimer, of two 14.0 kDa polypeptide monomers.

Purity:

> 95% by SDS-PAGE and HPLC analyses.

Biological Activity:

ED50 < 5.0 µg/ml, measured by a cell proliferation assay using C6 cells, corresponding to a specific activity of > 2.0 × 10² units/mg.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized after extensive dialysis against 50mM acetic acid.

AA Sequence:

MGVSETAPASRRGELAVCDVSGWVTDRRTAV-DLRGREVEVLGEVPAAGGSPLRQYFFETRCK-ADNAEEGG-PGAGGGGCRGVDRRHVWVSECKAKQSYVRAL-TADAQGRVGRWIRIDTACVCTLLSRTGRA

Endotoxin:

< 0.3 EU/µg, determined by LAL method.

Reconstitution:

Reconstituted in 50mM acetic acid or ddH₂O at 50 µg/ml.

Storage:

Lyophilized recombinant human Neurotrophin-4 (rhNT-4) remains stable up to 6 months at -80 °C from date of receipt. Upon reconstitution, rhNT-4 should be stable up to 2 weeks at 4 °C or up to 3 months at -20 °C.

Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.