

# **Bioworld Technology,Inc.**

**Recombinant IL-4, His, Rat** 

Catalog Number: BK0244-5µg

Source: CHO

Quantity: 5µg

## **Description:**

Interleukin-4 (IL-4), also known as BSF-1 and Lymphocyte stimulatory factor 1, is a secreted cytokine belonging to the IL-4/IL-13 family. It is produced by mast cells, T cells and bone marrow stromal cells. IL-4 signals through two receptor complexes: theIL4Ra/common  $\gamma$  chain and the IL4Ra-IL-13 Ra1 receptor complex. IL-4 regulates T cell and B cell proliferation, survival and gene expression. IL-4 also induces IgG and IgE class switching, and the upregulation of MHC-II production.

## **Molecular Weight:**

18-22 kDa, observed by reducing SDS-PAGE.

## **Purity:**

> 95% as analyzed by SDS-PAGE.

**Biological Activity:** 

 $ED50 < 0.2~\mu\text{g/ml},$  measured in a proliferation assay using C6 cells.

**Physical Appearance:** 

Sterile Filtered White lyophilized (freeze-dried) powder.

**Formulation:** 

Lyophilized after extensive dialysis against PBS.

### **AA Sequence:**

HGCNDSPL-

REIINTLNQVTEKGTPCTEMFVPDVLTA-TRNTTENELICRASRVLRKFYFPRDVPPCLK-NKSGVLGELRKLCRGVSGLNSLRSCTVNESTLTT LKDFLESLKSILRGKYLQSCTSMSHHHHHH

## **Endotoxin:**

 $< 0.2 \text{ EU/}\mu g$ , determined by LAL method.

**Reconstitution:** 

Reconstituted in ddH2O or PBS at 100  $\mu$ g/ml.

## **Storage:**

Lyophilized recombinant rat Interleukin-4 (IL-4), Hisremains stable up to 6 months at -80  $^{\circ}$ C from date of receipt. Upon reconstitution, rat Interleukin-4 (IL-4), Hisshould be stable up to 1 week at 4  $^{\circ}$ C or up to 2 months at -20  $^{\circ}$ C.

#### Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.