

Bioworld Technology,Inc.

Recombinant M-CSF, Human(CHO-expressed)

Catalog Number: BK0267-10µg

Source: CHO

Quantity: 10µg

Description:

Human Macrophage-Colony Stimulating Factor (M-CSF), also known as Colony Stimulating Factor-1 (CSF-1), can stimulate the survival, proliferation and differentiation of mononuclear phagocytes, in addition to the spreading and motility of macrophages. M-CSF is mainly produced by monocytes, macrophages, fibroblasts, and endothelial cells. M-CSF interaction with its receptor, c-fms, has been implicated in the growth, invasion, and metastasis of of several diseases, including breast and endometrial cancers.

Molecular Weight:

32-40 kDa, observed by non-reducing SDS-PAGE.

Purity:

> 95% as analyzed by SDS-PAGE and HPLC.

Biological Activity:

ED50< 5 ng/ml, measured in a cell proliferation assay using Murine M-NFS-60 cells, corresponding to a specific activity of $> 2 \times 10^{5}$ units/mg.

Physical Appearance:

Sterile Filtered White lyophilized (freeze-dried) powder.

Formulation:

Lyophilized after extensive dialysis against PBS.

AA Sequence:

EEVSEYCSHMIGSGHLQSLQRLID-SQMETSCQITFEFVDQEQLKDPVCYLK-KAFLLVQDIMEDTMRFRD-NTPNAIAIVQLQELSLRLKSCFTKDYEEHDKACV RTFYET-PLQLLEKVKNVFNETKNLLDKDWNIFSKNCNNS FAECSSQGHERQSEGS

Endotoxin:

<0.2 EU/µg, determined by LAL method.

Reconstitution:

Reconstituted in ddH2O or PBS at 100 µg/ml.

Storage:

Lyophilized recombinant human Macrophage-Colony Stimulating Factor (rhM-CSF) remains stable up to 6 months at -80 °C from date of receipt. Upon reconstitution, rhM-CSF should be stable up to 1 week at 4 °C or up to 2 months at -20 °C.

Usage:

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.