## PRODUCT DATA SHEET



Bioworld Technology,Inc.

# Recombinant MPIF/CCL23(aa46-120), Human

Catalog Number: BK0273-25µg Source: CHO Quantity: 25µg

### **Description:**

Myeloid progenitor inhibitory factor 1 (MPIF-1), also known as Chemokine (C-C motif) ligand 23 (CCL23) is a small cytokine belonging to the CC chemokine family. MPIF-1 is predominantly expressed in lung and liver tissue, but is also found in bone marrow and placenta. It is also expressed in some cell lines of myeloid origin. It is highly chemotactic for resting T cells and monocytes and slightly chemotactic for neutrophils. MPIF-1 has been shown to inhibit colony formation of bone marrow myeloid immature progenitors. It has also been attributed to an inhibitory activity on hematopoietic progenitor cells. MPIF-1 is a ligand for the chemokine receptor CCR1. Recombinant human MPIF-1/CCL23 (aa46-120) produced in CHO cells is a single polypeptide chain containing 75 amino acids. A fully biologically active molecule, rhMPIF-1/CCL23 (aa46-120) has a molecular mass of 11.3 kDa analyzed by reducing SDS-PAGE and is obtained by chromatographic techniques at GenScript.

# **Molecular Weight:**

11.3 kDa, observed by reducing SDS-PAGE.

#### **Purity:**

> 95% as analyzed by SDS-PAGE.

## **Biological Activity:**

The EC50 value of human MPIF-1/CCL23 (aa46-120) on Ca^2+ mobilization assay in CHO-K1/Ga15/hCCR1 cells (human Ga15 and human CCR1 stably expressed in CHO-K1 cells) is less than 1

μg/ml.

#### **Physical Appearance:**

Sterile Filtered White lyophilized (freeze-dried) powder

## **Formulation:**

Lyophilized after extensive dialysis against PBS.

## **AA Sequence:**

RFHATSADCCISYTPRSIPCSLLESYFETNSECS-KPGVIFLTKKGRRFCANPSDKQVQVCVRM-LKLDTRIKTRKN

#### **Endotoxin:**

 $< 0.2 \text{ EU/}\mu\text{g}$ , determined by LAL method.

#### **Reconstitution:**

Reconstituted in ddH2O or PBS at 100 µg/ml.

#### **Storage:**

Lyophilized recombinant Human MPIF/CCL23 (aa46-120) remains stable up to 6 months at -80  $^{\circ}$ C from date of receipt. Upon reconstitution, Human MPIF/CCL23 (aa46-120) should be stable up to 1 week at 4  $^{\circ}$ C or up to 3 months at -20  $^{\circ}$ C.

## **Usage:**

This material is offered by USA Bioworld biotech for research, laboratory or further evaluation purposes. For research use only.

Email: <u>info@bioworlde.com</u> Tel: 6123263284 Fax: 6122933841 Tel: 0086-025-86371664 Fax:0086-025-86213570