PRODUCT DATA SHEET



Bioworld Technology CO., Ltd.

DARPP-32 (P69) Peptide

Cat No.: BS1394P

Background

Dopaminergic signaling pathways, which are essential for multiple brain functions, are abnormal in several neurological disorders, such as schizophrenia, Parkinson's disease and drug DARPP-32 (for dopamine and 3',5'-monophosphate-regulated phosphoprotein of 32 kDa) is abundant in neurons that receive dopaminergic input. Activation of PKA and the consequent phosphorylation of DARPP-32 on threonine occurs in response to dopamine acting upon D1-like receptors. Dopamine interaction with D2-like receptors results in the inhibition of PKA activation, the activation of protein phosphatase 2B and the consequent dephosphorylation of DARPP-32. Neurotransmitters other than dopamine may also be able to stimulate the phosphorylation or dephosphorylation of DARPP-32. Phosphorylated DARPP-32 is a potent inhibitor of PP-1.

Swiss-Prot

Q9UD71

Applications

Blocking

Specificity

This peptide can be used with studies using BS1394 DARPP-32 (P69) pAb.

Purification & Purity

Synthetic peptide DARPP-32 (P69). (Note: the amino acid sequence is proprietary). The purity is > 98%.

Product

1 mg/ml in DI water.

Storage & Stability

Store at $4\,\mathrm{C}$ short term. Aliquot and store at -20 C long term. Avoid freeze-thaw cycles.

Research Use

For research use only, not for use in diagnostic procedure.