# **Bioworld Technology CO., Ltd.**



# SHIP1 (M1014) Peptide

Cat No.: BS1595P

### Background

The major translational product of the v-Fms oncogene, originally isolated from the McDonough strain of feline sarcoma virus, has been identified as a 170 kDa glycoprotein with intrinsic tyrosine kinase activity. The v-Fms human cellular homolog, c-Fms, has been molecularly cloned and mapped to band q34 on chromosome 5, and identified as the receptor for hematopoietic ligand, CSF-1. Ligand-induced activation of the intrinsic CSF-1R protein tyrosine kinase triggers its interaction with cytoplasmic effector molecules. One such effector molecule, SHIP-1 p145 (SH2-containing-inositol phosphatase), associates with activated Fms. SHIP-1 contains two phosphotyrosine-binding domains (PTB), a unique amino terminal SH2 domain, a proline-rich region, and two highly conserved motifs found among inositol phosphate 5-phosphatases. SHIP-1 displays both phosphatidylinositol 3,4,5-triphosphate and inositol 1, 3, 4, 5 -tetrakisphosphate polyphosphate 5-phosphatase activity. Evidence suggests that SHIP-1 may modulate Ras signaling in addition to inositol signaling pathways

#### **Swiss-Prot**

Q92835

## Applications

Blocking

Specificity

This peptide can be used with studies using BS1595 SHIP1 (M1014) pAb.

#### **Purification & Purity**

Synthetic peptide SHIP1 (M1014). (Note: the amino acid sequence is proprietary). The purity is > 98%.

**Product** 

1 mg/ml in DI water.

Storage & Stability

Store at 4  ${\rm C}$  short term. Aliquot and store at -20  ${\rm C}$  long term. Avoid freeze-thaw cycles.

**Research Use** 

For research use only, not for use in diagnostic procedure.