

c-TAK1 (P8) polyclonal antibody

Catalog: BS1969

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

c-TAK1 (Cdc25C associated protein kinase) phosphorylates Cdc25C on Ser 216 and is ubiquitously expressed in various human tissue and cell lines. C-TAK1 is distinct from Chk1, which also phosphorylates Cdc25C on Ser 216 in response to DNA damage. Phosphorylation of Cdc25C allows for the preferential binding of 14-3-3 proteins, subsequently retaining Cdc25C in the cytoplasm. Thus, the binding of 14-3-3 proteins prevents Cdc25C from dephosphorylating Cdc2 in the nucleus, thereby controlling the entry of the cells into mitosis. It is suggested that C-TAK1 mediates the binding of the 14-3-3 proteins through its kinase activity and acts as a negative regulator of mitosis.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 87 kDa

Swiss-Prot:

P27448

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

c-TAK1 (P8) polyclonal antibody detects endogenous levels of C-TAK1 protein.

DATA:




Western blot (WB) analysis of c-TAK1 (P8) pAb at 1:1000 dilution

Lane1:HeLa whole cell lysate(40ug)

Lane2:HEK293T whole cell lysate(40ug)

Lane3:C6 whole cell lysate(40ug)

Lane4:CT26 whole cell lysate(40ug)



Immunohistochemistry (IHC) analyzes of c-TAK1 (P8) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151