

ARF GAP1 (M204) polyclonal antibody

Catalog: BS3066

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

ARFGAP1 (ADP-ribosylation factor GTPase activating protein 1), also known as ARF1 GAP, is a 406 amino acid protein that contains one ARF-GAP domain and localizes to the cytoplasm and the golgi apparatus. Functioning as a GTPase-activating protein (GAP), ARFGAP1 interacts with ARF1 and promotes hydrolysis of ARF1-bound GTP, an event that is required for both the dissociation of coat proteins from golgi structures and for the subsequent fusion of golgi vesicles with target compartments. When overexpressed, ARFGAP1, whose activity is inhibited by phosphatidylcholine and stimulated by phosphoinositides, can induce the redistribution of the entire golgi apparatus to the endoplasmic reticulum. Multiple isoforms of ARFGAP1 exist due to alternative splicing events.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

Molecular Weight:

~ 44 kDa

Swiss-Prot:

Q8N6T3

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

ARF GAP1 (M204)pAb detects endogenous levels of ARF GAP1 protein

DATA:



Immunohistochemistry (IHC) analyzes of ARF GAP1 (M204) pAb in paraffin-embedded human breast carcinoma tissue at 1:100.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151