

# **BMP-6 (A152) polyclonal antibody**

Catalog: BS3450

Host: Rabbit

Reactivity: Human, Mouse, Rat

## **BackGround:**

In vivo studies have shown that BMP-2 (also designated BMP-2A) and BMP-3 can independently induce cartilage formation. Smad3 association with the TGF $\beta$  receptor complex and Smad1 translocation to the nucleus are observed after the addition of BMP-4 (also designated BMP-2B), suggesting that BMP-4 may play a role in activation of the Smad pathway. BMP-5, BMP-6 and BMP-7 all share high sequence homology with BMP-2, indicating that they each may be able to induce cartilage formation. BMP-8 (also designated OP-2) is thought to be involved in early development, as detectable expression has not been found in adult organs.

## **Product:**

1 mg/ml in Phosphate buffered saline (PBS) with 0.05% sodium azide, approx. pH 7.2.

**Molecular Weight:** 

~ 42, 57 kDa

**Swiss-Prot:** 

P22004

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:** 

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

**Specificity:** 

BMP-6 (A152) polyclonal antibody detects endogenous levels of BMP-6 protein.

**DATA:** 




Western blot (WB) analysis of BMP-6 (A152) polyclonal antibody at 1:500 dilution

Lane1:Jurkat cell lysate

Lane2:Raw264.7 cell lysate

Lane3:PC12 cell lysate



Immunohistochemistry (IHC) analyzes of BMP-6 (A152) pAb in paraf-

fin-embedded human breast carcinoma tissue at 1:100.

#### Note:

For research use only, not for use in diagnostic procedure.

#### Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

### Bioworld technology, co. Ltd.

 
 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151