bioworld

Bioworld Technology CO., Ltd.

p-APP/β-Amyloid (T668) Peptide

Cat No.: BS4214P

Background

Proteolytic cleavage of the Amyloid protein precursor (APP) gives rise to the β -Amyloid and Amyloid A4 proteins, which are present in human platelets. Amyloid deposition is associated with type II diabetes, Down syndrome and a variety of neurological disorders, including Alzheimer's disease. The Amyloid precursor protein (APP) undergoes alternative splicing, resulting in several isoforms. Proteolytic cleavage of APP leads to the formation of the Amyloid β /A4 Amyloid protein. This protein is involved in the formation of neurofibrillary tangles and plaques that characterize the senile plaques of Alzheimer's patients. APLP1 (Amyloid precursor-like protein 1) and APLP2 are structurally similar to APP.

Swiss-Prot

P05067

Applications

Blocking

Specificity

This peptide can be used with studies using BS4214 p-APP/ β -Amyloid (T668) pAb.

Purification & Purity

Synthetic peptide p-APP/ β -Amyloid (T668). (Note: the amino acid sequence is proprietary). The purity is > 98%.

Product

1 mg/ml in DI water.

Storage & Stability

Store at $4 \, \mathbb{C}$ short term. Aliquot and store at $-20 \, \mathbb{C}$ long term. Avoid freeze-thaw cycles.

Research Use

For research use only, not for use in diagnostic procedure.