

# **APE1 Recombinant Rabbit mAb**

Catal	log:	BS45584
-------	------	---------

Host: Rab

Rabbit

Reactivity: Human, Mouse, Rat

# **BackGround:**

Apurinic/apyrimidinic (AP) sites occur frequently in DNA molecules by spontaneous hydrolysis, by DNA damaging agents or by DNA glycosylases that remove specific abnormal bases. AP sites are pre-mutagenic lesions that can prevent normal DNA replication so the cell contains systems to identify and repair such sites. Class II AP endonucleases cleave the phosphodiester backbone 5' to the AP site. This gene encodes the major AP endonuclease in human cells. Splice variants have been found for this gene; all encode the same protein. [provided by Ref-Seq, Jul 2008]

#### **Product:**

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.

### **Molecular Weight:**

### 36 kDa

**Swiss-Prot:** 

## P27695

**Purification&Purity:** 

Affinity Purification

## **Applications:**

WB: 1:2000-1:10000


### Storage&Stability:

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

## **Isotype:**

# IgG

# DATA:



Western blot detection of APE1 in K562,C6,3T3,Hela cell lysates using APE1 antibody(1:1000 diluted).

#### Note:

For research use only, not for use in diagnostic procedure.

#### Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841

#### Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: info@biogot.com Tel: 0086-025-68037686 Fax: 0086-025-68035151