

Villin Recombinant Rabbit mAb

BackGround:	WB: 1:2000-1:10000 FC: 1:20
This gene encodes a member of a family of calci-	Storage&Stability:
um-regulated actin-binding proteins. This protein repre-	Store at 4 ${}^\circ\!\!{\rm C}$ short term. Aliquot and store at -20 ${}^\circ\!\!{\rm C}$ long
sents a dominant part of the brush border cytoskeleton	term. Avoid freeze-thaw cycles.
which functions in the capping, severing, and bundling of	Isotype:
actin filaments. Two mRNAs of 2.7 kb and 3.5 kb have	IgG
been observed; they result from utilization of alternate	DATA:
poly-adenylation signals present in the terminal exon. [provided by RefSeq, Jul 2008]	Caco-2 kDa 250 -
Product:	$ \begin{array}{c} 150 - \\ 100 - \\ 75 - \\ 50 - \\ 37 - \\ 25 - \\ 20 - \\ 15 - \\ 10 - \\ \end{array} $
Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4),	
0.15M NaCl, 40%Glycerol, 0.01% sodium azide and	
0.05% BSA. Stable for 12 months from date of receipt.	
Molecular Weight:	10 -
93 kDa	Western blot analysis of extracts from Caco-2 cells using db14163 at
Swiss-Prot:	1:1000.
P09327	Note:
Purification&Purity:	For research use only, not for use in diagnostic procedure.
Affinity Purification	
Applications:	