## PRODUCT DATA SHEET



# Bioworld Technology CO., Ltd.

# p-lkB-β (T19) Peptide

Cat No.: BS4576P

## **Background**

The NF- $\kappa$ B/Rel transcription factors are present in the cytosol in an inactive state, complexed with the inhibitory I $\kappa$ B proteins. Most agents that activate NF- $\kappa$ B do so through a common pathway based on phosphorylation-induced, proteasome-mediated degradation of I $\kappa$ B. The key regulatory step in this pathway involves activation of a high molecular weight I $\kappa$ B kinase (IKK) complex whose catalysis is generally carried out by three tightly associated IKK subunits. IKK $\alpha$  and IKK $\beta$  serve as the catalytic subunits of the kinase and IKK $\gamma$  serves as the regulatory subunit. Activation of IKK depends upon phosphorylation at Ser177 and Ser181 in the activation loop of IKK $\beta$  (Ser176 and Ser180 in IKK $\alpha$ ), which causes conformational changes, resulting in kinase activation.

#### **Swiss-Prot**

Q15653

#### **Applications**

Blocking

# **Specificity**

This peptide can be used with studies using BS4576 p-IkB- $\beta$  (T19) pAb.

## **Purification & Purity**

Synthetic peptide p-IkB- $\beta$  (T19). (Note: the amino acid sequence is proprietary). The purity is > 98%.

#### **Product**

1 mg/ml in DI water.

#### **Storage & Stability**

Store at  $4\,\mathrm{C}$  short term. Aliquot and store at  $-20\,\mathrm{C}$  long term. Avoid freeze-thaw cycles.

#### **Research Use**

For research use only, not for use in diagnostic procedure.