## **Bioworld Technology CO., Ltd.**



p-Caspase-8 (Y380) Peptide

Cat No.: BS4662P

## Background

Caspases are cysteine proteases, expressed as inactive precursors, that mediate apoptosis by proteolysis of specific substrates. Caspases have the ability to cleave after aspartic acid residues. There are two classes of caspases involved in apoptosis; initiators (activation by receptor cluster) and effectors (activation by mitochondrial permeability transition). Proapoptotic signals autocatalytically activate initiator caspases, such as Caspase 8 and Caspase 9. Activated initiator caspases then process effector caspases, such as Caspase 3 and Caspase 7, which in turn cause cell collapse.

## **Swiss-Prot**

## Q14790

Applications

Blocking

Specificity

This peptide can be used with studies using BS4662 p-Caspase-8 (Y380) pAb.

**Purification & Purity** 

Synthetic peptide p-Caspase-8 (Y380). (Note: the amino acid sequence is proprietary). The purity is > 98%.

**Product** 

1 mg/ml in DI water.

**Storage & Stability** 

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

**Research Use** 

For research use only, not for use in diagnostic procedure.