

RAP1GAP Recombinant Rabbit mAb

Catal	og:	BS47082
-------	-----	---------

Host:

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

This gene encodes a type of GTPase-activating-protein (GAP) that down-regulates the activity of the ras-related RAP1 protein. RAP1 acts as a molecular switch by cycling between an inactive GDP-bound form and an active GTP-bound form. The product of this gene, RAP1GAP, promotes the hydrolysis of bound GTP and hence returns RAP1 to the inactive state whereas other proteins, guanine nucleotide exchange factors (GEFs), act as RAP1 activators by facilitating the conversion of RAP1 from the GDP- to the GTP-bound form. In general, ras subfamily proteins, such as RAP1, play key roles in receptor-linked signaling pathways that control cell growth and differentiation. RAP1 plays a role in diverse processes such as cell proliferation, adhesion, differentiation, and embryogenesis. Alternative splicing results in multiple transcript variants encoding distinct proteins. [provided by RefSeq, Aug 2011]

Product:

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.

Molecular Weight:
95 kDa
Swiss-Prot:

P47736

Purification&Purity:

Affinity Purification

Applications:

WB: 1:2000-1:10000
IHC: 1:200
ICC/IF: 1:20-1:50
FC: 1:20
IP: 1:20


Storage&Stability:

Store at $4 \, \mathbb{C}$ short term. Aliquot and store at $-20 \, \mathbb{C}$ long term. Avoid freeze-thaw cycles.

Isotype:

IgG

DATA:



Western blot detection of RAP1GAP in Rat Brain, Hela cell lysates using RAP1GAP antibody(1:1000 diluted).

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.		
Add:	1660 South Highway 100, Suite 500 St. Louis Park,	
	MN 55416,USA.	
Email:	info@bioworlde.com	
Tel:	6123263284	
Fax:	6122933841	