

# c-Maf Recombinant Rabbit mAb

Catalog: **BS47629**  Host:

Rabbit

Reactivity: Human, Mouse, Rat

## **BackGround:**

The protein encoded by this gene is a DNA-binding, leucine zipper-containing transcription factor that acts as a homodimer or as a heterodimer. Depending on the binding site and binding partner, the encoded protein can be a transcriptional activator or repressor. This protein plays a role in the regulation of several cellular processes, including embryonic lens fiber cell development, increased T-cell susceptibility to apoptosis, and chondrocyte terminal differentiation. Defects in this gene are a cause of juvenile-onset pulverulent cataract as well as congenital cerulean cataract 4 (CCA4). Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2010]

#### **Product:**

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.

**Molecular Weight:** 

## 38 kDa

**Swiss-Prot:** 

075444

**Purification&Purity:** 

Affinity Purification **Applications:** 

IHC: 1:200-1:500

**Storage&Stability:** 

Store at 4  ${}^\circ\!\!{\rm C}$  short term. Aliquot and store at -20  ${}^\circ\!\!{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Isotype:**

IgG

**DATA:** 

### Note:

For research use only, not for use in diagnostic procedure.