

## Met Recombinant Rabbit mAb

Catalog:	BS48393	Host:	Rabbit	Reactivity:	Mouse
BackGround:				Swiss-Prot:	
Receptor tyrosine kinase that transduces signals from the				P16056	
extracellular matrix into the cytoplasm by binding to				Purification&Purity:	
hepatocyte growth factor/HGF ligand. Regulates many				Affinity Purification	
physiological processes including proliferation, scatter-				Applications:	
ing, morphogenesis and survival. Ligand binding at the				WB: 1:1000	
cell surface induces autophosphorylation of MET on its intracellular domain that provides docking sites for downstream signaling molecules. Following activation by ligand, interacts with the PI3-kinase subunit PIK3R1, PLCG1, SRC, GRB2, STAT3 or the adapter GAB1. <b>Product:</b>			MET on its	Storage&Stability:	
			ng sites for	Store at 4 $^{\rm C}$ short term. Aliquot and store at -20 $^{\rm C}$ long	
			activation by	term. Avoid freeze-thaw cycles.	
			nit PIK3R1,	Isotype:	
			GAB1.	IgG	
				DATA:	
Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4),					
0.15M NaC	<ul><li>D.15M NaCl, 40%Glycerol, 0.01% sodium azide and</li><li>D.05% BSA. Stable for 12 months from date of receipt.</li><li>Molecular Weight:</li></ul>			Note:	
				For research use only, not for use in diagnostic procedure.	

145-170 kDa

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,<br/>MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841