

Cripto1 Recombinant Rabbit mAb

Catalog:	BS48462	Host:	Rabbit	Reactivity: Human
Catalog:BS48462Host:RabbitBackGround:GPI-anchored cell membrane protein involved in Nodal signaling. Cell-associated TDGF1 acts as a Nodal core- ceptor in cis. Shedding of TDGF1 by TMEM8A modu- lates Nodal signaling by allowing soluble TDGF1 to act as a Nodal coreceptor on other cells (PubMed:27881714). Could play a role in the determination of the epiblastic cells that subsequently give rise to the mesoderm (Pub- Med:11909953).2 Publications GO - Molecular functioniProduct:Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4),			ved in Nodal Nodal core- EM8A modu- DGF1 to act d:27881714). he epiblastic oderm (Pub-	Reactivity: Human P13385 Purification&Purity: Affinity Purification Applications: WB: 1:1000 IP: 1:20 Storage&Stability: Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles. Isotype: IgG DATA:
Product:			rine(nH 7 4)	-
			n azide and	Note: For research use only, not for use in diagnostic procedure.
21 kDa Swiss-Prot:				