

## Apolipoprotein CI Recombinant Rabbit mAb

Catalog: BS48484 Ho	ost: Rabbit	Reactivity: Human
BackGround:		6 kDa
This gene encodes a member of the apolipoprotein C1		Swiss-Prot:
family. This gene is expressed primarily in the liver, and it is activated when monocytes differentiate into macro- phages. The encoded protein plays a central role in high		P02654
		Purification&Purity:
		Affinity Purification
density lipoprotein (HDL) and very low density lipopro- tein (VLDL) metabolism. This protein has also been shown to inhibit cholesteryl ester transfer protein in	Applications:	
	in has also been ransfer protein in	WB: 1:1000 IHC: 1:100 ICC/IF: 1:200 FC: 1:20 IP: 1:20
plasma. A pseudogene of this gene is lo	s gene is located 4 kb down-	Storage&Stability:
ream in the same orientation, on the same chromosome. his gene is mapped to chromosome 19, where it resides	ame chromosome. 9, where it resides	Store at $4^{\circ}$ C short term. Aliquot and store at $-20^{\circ}$ C long term. Avoid freeze-thaw cycles.
within a apolipoprotein gene cluster. A	e cluster. Alternative splicing promoters results in multiple	Isotype:
and the use of alternative promoters r		IgG
transcript variants. [provided by RefSeq.	l, Sep 2016]	DATA:
Product:		
Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA Stable for 12 months from data of receipt	s-Glycine(pH 7.4),	Note:
	data of receipt	For research use only, not for use in diagnostic procedure.

0.05% BSA. Stable for 12 months from date of receipt.

**Molecular Weight:** 

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841