

Mesothelin Recombinant Rabbit mAb

Catalog:	BS48752	Host:	Rabbit	Reactivity: Human
BackGrou This gene e processed to cyte potent potentiating late colony Mesothelin cell-surface protein. Thi theliomas, o carcinomas script varian	BackGround: This gene encodes a preproprotein that is proteolytically processed to generate two protein products, megakaryo- cyte potentiating factor and mesothelin. Megakaryocyte potentiating factor functions as a cytokine that can stimu- late colony formation of bone marrow megakaryocytes. Mesothelin is a glycosylphosphatidylinositol-anchored cell-surface protein that may function as a cell adhesion protein. This protein is overexpressed in epithelial meso- theliomas, ovarian cancers and in specific squamous cell carcinomas. Alternative splicing results in multiple tran- script variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq,			Reactivity: Human69 kDaSwiss-Prot:Q13421Purification&Purity:Affinity PurificationApplications:WB: 1:1000 IHC: 1:100 IP: 1:20-1:100Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.Isotype:IgG
-				DATA:
Feb 2016] Product:				DAIA:
Store at 20 °C Supplied in 50m M Trie Churing (all 7.4)				Note:

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.

Molecular Weight:

For research use only, not for use in diagnostic procedure.