

# PADI3/PAD3 Recombinant Rabbit mAb

Catalog: **BS48859**  Host:

Rabbit

Reactivity: Human

# **BackGround:**

This gene encodes a member of the peptidyl arginine deiminase family of enzymes, which catalyze the post-translational deimination of proteins by converting arginine residues into citrullines in the presence of calcium ions. The family members have distinct substrate specificities and tissue-specific expression patterns. The type III enzyme modulates hair structural proteins, such as filaggrin in the hair follicle and trichohyalin in the inner root sheath, during hair follicle formation. Together with the type I enzyme, this enzyme may also play a role in terminal differentiation of the epidermis. This gene exists in a cluster with four other paralogous genes. [provided by RefSeq, Jul 2008]

#### **Product:**

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.

**Molecular Weight:** 

### 75 kDa

**Swiss-Prot:** 

Q9ULW8

**Purification&Purity:** 

Affinity Purification **Applications:** 

WB: 1:1000<br />IP: 1:20

**Storage&Stability:** 

Store at 4  ${}^\circ\!\!{\rm C}$  short term. Aliquot and store at -20  ${}^\circ\!\!{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Isotype:**

IgG

**DATA:** 

## Note:

For research use only, not for use in diagnostic procedure.