

Caspase-4 Recombinant Rabbit mAb

Catalog:	BS49207
----------	---------

Host: Rabbit

Reactivity: Human

BackGround:

This gene encodes a protein that is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes composed of a prodomain and a large and small protease subunit. Activation of caspases requires proteolytic processing at conserved internal aspartic residues to generate a heterodimeric enzyme consisting of the large and small subunits. This caspase is able to cleave and activate its own precursor protein, as well as caspase 1 precursor. When overexpressed, this gene induces cell apoptosis. Alternative splicing results in transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2008]

Product:

Store at -20 °C. Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.

Molecular Weight:45 kDaSwiss-Prot:P49662Purification&Purity:Affinity PurificationApplications:WB: 1:1000
FC: 1:20Storage&Stability:Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.Isotype:IgGDATA:

Note:

For research use only, not for use in diagnostic procedure.