PRODUCT DATA SHEET



Bioworld Technology CO., Ltd.

PKD1 (V744) Peptide

Cat No.: BS5532P

Background

Activation of PKC is one of the earliest events in a cascade leading to a variety of cellular responses such as secretion, gene expression, proliferation and muscle contraction. Protein kinase D (PKD), also called PKC μ , is a serine/threonine kinase whose activation is dependent on the phosphorylation of two activation loop sites, Ser744 and Ser748, via a PKC-dependent signaling pathway. In addition to the two activation loop sites, the carboxy-terminal Ser916 has been identified as an autophosphorylation site for PKD/PKC μ . Phosphorylation at Ser916 correlates with PKD/PKC μ catalytic activity.

Swiss-Prot

Q15139

Applications

Blocking

Specificity

This peptide can be used with studies using BS5532 PKD1 (V744) pAb.

Purification & Purity

Synthetic peptide PKD1 (V744). (Note: the amino acid sequence is proprietary). The purity is > 98%.

Product

1 mg/ml in DI water.

Storage & Stability

Store at $4\,\mathrm{C}$ short term. Aliquot and store at $-20\,\mathrm{C}$ long term. Avoid freeze-thaw cycles.

Research Use

For research use only, not for use in diagnostic procedure.