PRODUCT DATA SHEET



Bioworld Technology CO., Ltd.

Flt-3 (E597) Peptide

Cat No.: BS5570P

Background

Stem cell tyrosine kinase (STK-1) has been cloned from a CD34+ hematopoietic stem cell enriched library and identified as the human homolog of a previously identified gene of mouse origin designated either Flk-2 or Flt-3. The STK-1 cDNA encodes a protein of 993 amino acids with 85% identity to Flt-3/Flk-2. STK-1 is a member of the type III receptor tyrosine kinase family that includes Kit (steel factor receptor), Fms and PDGF. STK-1 expression in blood and marrow is restricted to CD34+ cells, a population greatly enriched for hematopoietic stem/progenitor cells. STK-1 antiserum recognizes two polypeptides in these cells. The mouse homolog of STK-1, designated Flt-3/ Flk-2, is expressed at high levels in hematopoietic cells and also in neural, gonadal, hepatic and placental tissues. It has been suggested that STK-1 and its murine homolog Flt-3/ Flk-2 may function as growth factor receptors on hematopoietic stem and/or progenitor cells.

Swiss-Prot

P36888

Applications

Blocking

Specificity

This peptide can be used with studies using BS5570 Flt-3 (E597) pAb.

Purification & Purity

Synthetic peptide Flt-3 (E597). (Note: the amino acid sequence is proprietary). The purity is > 98%.

Product

1 mg/ml in DI water.

Storage & Stability

Store at $4\,\mathrm{C}$ short term. Aliquot and store at $-20\,\mathrm{C}$ long term. Avoid freeze-thaw cycles.

Research Use

For research use only, not for use in diagnostic procedure.