

# **ZC3H8** polyclonal antibody

Catalog:	BS5770
----------	--------

Host:

Rabbit

Reactivity: Human, Mouse, Rat

# **BackGround:**

Zinc-finger CCCH domain-containing protein 8 (ZC3H8) acts as a transcriptional repressor of the GATA3 promoter. It is a sequence-specific DNA-binding factor that binds to the 5'-AGGTCTC-3' sequence within the negative cis-acting element intronic regulatory region (IRR) of the GATA3 gene (by similarity). ZC3H8 induces thymocyte apoptosis when overexpressed, which may indicate a role in regulation of thymocyte homeostasis.

#### **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

~ 33 kDa

**Swiss-Prot:** 

Q8N5P1

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

#### **Applications:**

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.


#### **Specificity:**

ZC3H8 polyclonal antibody detects endogenous levels of ZC3H8 protein.


# **DATA:**



Western blot (WB) analysis of ZC3H8 pAb at 1:500 dilution Lane1:HCT116 whole cell lysate(20ug) Lane2:Hela whole cell lysate(20ug) Lane3:C6 whole cell lysate(40ug) Lane4:CT26 whole cell lysate(40ug)



Immunohistochemistry (IHC) analyzes of ZC3H8 pAb in paraffin-embedded human colon carcinoma tissue at 1:50.showing cytoplasmic and nucleus staining. Negative control (the right)Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.



Immunohistochemistry (IHC) analyzes of ZC3H8 pAb in paraffin-embedded human liver carcinoma tissue at 1:50.showing cytoplasmic and nucleus staining. Negative control (the right)Using PBS instead of primary antibody, secondary antibody is Goat Anti-Rabbit IgG-biotin followed by avidin-peroxidase.

#### Bioworld Technology, Inc.

 
 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

# Bioworld technology, co. Ltd.Add:No 9, weidi road Qixia District Nanjing, 210046,<br/>P. R. China.Email:info@biogot.comTel:0086-025-68037686Fax:0086-025-68035151



Bioworld Technology,Inc.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.	
Add:	1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

6123263284

6122933841

Email:

Tel:

Fax:

info@bioworlde.com

### Bioworld technology, co. Ltd.

 Add:
 No 9, weidi road Qixia District Nanjing, 210046,

 P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151