

F11 polyclonal antibody

Catalog: BS60702

Host: Rabbit

Reactivity: Human,Rat

BackGround:

Coagulation Factor XI (FXI) is a glycoprotein produced by platelets and megakaryocytes in the liver and circulates as a zymogen homodimer in plasma. Factor XI is a trypsin-like plasma serine protease that catalyzes the activation of the consolidation phase of blood coagulation through a Thrombin-generated feedback loop. The plasma half-life of Factor XI is about 52 hours, and plasma concentrations are usually 5 mg/l. During hemostasis, the coagulation protease factor (Factor XIa) activates Factor XI. Factor XI deficiency (Hemophilia C) is an injury-related bleeding disorder that leads to a variable bleeding tendency which is inherited in an autosomal recessive manner, though is not completely recessive, because heterozygotes also have a mild but definite bleeding tendency.

Product:

1 mg/ml in Phosphate buffered saline (PBS) with 15 mM sodium azide, approx. pH 7.2.

Molecular Weight:

~ 70 kDa

Swiss-Prot:

P03951

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im-

munogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.

Specificity:

F11 polyclonal antibody detects endogenous levels of F11 protein.

DATA:



Western blot (WB) analysis of F11 polyclonal antibody at 1:500 dilution

Lane1:HEK293T whole cell lysate

Lane2:sp2/0 whole cell lysate

Lane3:PC12 whole cell lysate

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151