

TAL1 (Acetyl-K221/K222) polyclonal antibody

Catalog: BS64094

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Activation of TAL1 characterizes up to 60% ofcases of human T cell acute lymph oblastic leukemia,making it themost frequent gain-of-function mutation observed in this disorder. TAL1 (also designated SCL) is a serine phospho protein and basic helixx-loop-helixtranscription factorknown to regulate embryonic hematopoiesis. This transcription factor binds as a heterodimer with E2A and HEB/HTF4 to a nucleotide sequence motif termed the E-box.In addition, leukemogenesisis accelerated dramatically bytransgenic coexpression of TAL1 and the catalyticsubunit ofcasein kinase II α , a serine/threonine protein kinase known tomodulate the activity of other β HLH transcription factors.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 34 kDa

Swiss-Prot:

P17542/Q16559

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at -20 $^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

TAL1 (Acetyl-K221/K222) polyclonal antibody detects endogenous levels of TAL1 protein only when acetylated at Lys221 and Lys222. This antibody also recognizes TAL2 protein when acetylated at Lys36 and Lys37.





Western blot (WB) analysis of TAL1 (Acetyl-K221/K222) polyclonal antibody at 1:500 dilution Lane1:HEK293T whole cell lysate(40ug) Lane2:C6 whole cell lysate(40ug)) Lane3:PC12 whole cell lysate(40ug) Lane4:MCF-7 whole cell lysate(40ug)

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

Bioworld technology, co. Ltd.

 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151