

# Arginase 1 (ARG1) polyclonal antibody

Catalo	og:	BS6971
--------	-----	--------

Host: Rabbit

Reactivity: Human, Mouse, Rat

# **BackGround:**

Arginase catalyzes the hydrolysis of arginine to ornithine and urea. At least two isoforms of mammalian arginase exist (types I and II) which differ in their tissue distribution, subcellular localization, immunologic crossreactivity and physiologic function. The type I isoform encoded by this gene, is a cytosolic enzyme and expressed predominantly in the liver as a component of the urea cycle. Inherited deficiency of this enzyme results in argininemia, an autosomal recessive disorder characterized by hyperammonemia. Two transcript variants encoding different isoforms have been found for this gene.

## **Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

40KDa

**Swiss-Prot:** 

P05089

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). **Applications:** 

WB,1:500 - 1:2000|IF/ICC,1:50 - 1:200

Storage&Stability:

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

**Category:** 

Polyclonal Antibodies

# **DATA:**

Western blot analysis of HepG2, using Arginase1 antibody at 1:400 dilution.<br/>br/>Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>br/>Lysates/proteins: 25ug per lane.<br/>br/>Blocking buffer: 3% nonfat dry milk in TBST.<br/>br/>Detection: ECL Basic Kit .<br/>br/>Exposure time: 10s.

Immunofluorescence analysis of human liver cancer cells using Arginase 1 Rabbit pAb at dilution of 1:50. Blue: DAPI for nuclear staining.

#### Note:

For research use only, not for use in diagnostic procedure.

Biowo	orld Technology, Inc.
Add:	1660 South Highway 100, Suite 500 St. Louis Park,
	MN 55416,USA.
Email:	info@bioworlde.com
Tel:	6123263284
Fax:	6122933841

## Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: info@biogot.com Tel: 0086-025-68037686 Fax: 0086-025-68035151