

PRODUCT DATA SHEET

Bioworld Technology,Inc.

AADAT polyclonal antibody

Catalog: BS72182 Host: Rabbit Reactivity: Human, Mouse, Rat

BackGround:

This gene encodes a protein that is highly similar to mouse and rat kynurenine aminotransferase II. The rat protein is a homodimer with two transaminase activities. One activity is the transamination of alpha-aminoadipic acid, a final step in the saccaropine pathway which is the major pathway for L-lysine catabolism. The other activity involves the transamination of kynurenine to produce kynurenine acid, the precursor of kynurenic acid which has neuroprotective properties. Several transcript variants encoding two different isoforms have been found for this gene.

Product:

1 mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

46KDa

Swiss-Prot:

O8N5Z0

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB,1:500 - 1:2000|IHC,1:50 - 1:200|IF/ICC,1:50 - 1:200


Storage&Stability:

Store at $4 \,\mathrm{C}$ short term. Aliquot and store at $-20 \,\mathrm{C}$ long term. Avoid freeze-thaw cycles.

Category:

Polyclonal Antibodies

DATA:



Western blot analysis of various lysates, using AADAT antibody at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:4040 dilution.<



Immunohistochemistry of paraffin-embedded human liver using AADAT Rabbit pAb at dilution of 1:200 .Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park,

MN 55416,USA.

Email: <u>info@bioworlde.com</u>

Tel: 6123263284 Fax: 6122933841 Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046,

P. R. China.

Email: info@biogot.com
Tel: 0086-025-68037686
Fax: 0086-025-68035151