

NDP polyclonal antibody

This gene encodes a secreted protein with a cystein-knot motif that activates the Wnt/beta-catenin pathway. The protein forms disulfide-linked oligomers in the extracel- lular matrix. Mutations in this gene result in Norrie dis- ease and X-linked exudative vitreoretinopathy.Category: Polyclonal AntibodiesProduct: Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2DATA:Molecular Weight: 18kDaSwiss-Prot: Q00604Q00604Swiss-Prot: Purification&Purity: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im- munogen and the purity is > 95% (by SDS-PAGE).	Catalog: BS7336 Host: Rabbit	Reactivity: Mouse
Iular matrix. Mutations in this gene result in Norrie disease and X-linked exudative vitreoretinopathy.DATA:Product:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Molecular Weight:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Molecular Weight:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Molecular Weight:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Molecular Weight:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Molecular Weight:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Note:Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Img/ml in TBST.Purification&Purity:Img/ml in tBST.Img/ml in tBST.Note:Img/ml in tBST.Img/ml in tBST.Note:For research use only, not for use in diagnostic proced	This gene encodes a secreted protein with a cystein-knot motif that activates the Wnt/beta-catenin pathway. The	The Category:
ease and X-linked exudative vitreoretinopathy. Product: Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2 Molecular Weight: 18kDa Swiss-Prot: Q00604 Purification&Purity: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). Applications: Western blot analysis of extracts of mouse eye, using NDP antibody using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). For research use only, not for use in diagnostic proced.		-
Molecular Weight: 18kDa Swiss-Prot: Q00604 Purification&Purity: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). Applications:	Product: 1mg/ml in PBS with 0.02% sodium azide, 50% glyce	ZOKDA Sokoa SSKDA SSKDA AOKDA SSKDA AO
Swiss-Prot:Q00604Western blot analysis of extracts of mouse eye, using NDP antibodyPurification&Purity:1:1000 dilution. by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).Applications:Note:For research use only, not for use in diagnostic proceder	Molecular Weight: 18kDa	
The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). Applications:	Q00604 Purification&Purity:	
Applications:	by affinity-chromatography using epitope-specific	im- buffer: 3% nonfat dry milk in TBST. Note:
		For research use only, not for use in diagnostic procedure.
Storage&Stability:	Storage&Stability:	

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151