

## PHPT1 polyclonal antibody

| Catalog: | BS7538 |
|----------|--------|
|----------|--------|

Host: Ral

Rabbit

Reactivity: Human

## **BackGround:**

This gene encodes an enzyme that catalyzes the reversible dephosphorylation of histidine residues in proteins. It may be involved in the dephosphorylation of G-beta and ATP citrate lyase and in negatively regulating CD4 T lymphocytes by dephosphorylation and inhibition of KCa3.1 channels. Alternative splicing results in multiple transcript variants.

## **Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

13kDa

**Swiss-Prot:** 

Q9NRX4

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:** 

WB,1:500 - 1:2000|IF/ICC,1:50 - 1:200


**Storage&Stability:** 

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

**Modification:** 

Unmodification

**DATA:** 



Western blot analysis of extracts of various cell lines, using PHPT1 antibody at 1:1000 dilution.<br/>br/>Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>br/>Lysates/proteins: 25ug per lane.<br/>br/>Blocking buffer: 3% nonfat dry milk in TBST.

## Note:

For research use only, not for use in diagnostic procedure.

| Bioworld Technology, Inc. |   |
|---------------------------|---|
| Add:                      | 1660 South Highway 100, Suite 500 St. Louis Park, |
|                           | MN 55416,USA.                                     |
| Email:                    | info@bioworlde.com                                |
| Tel:                      | 6123263284  |
| Fax:                      | 6122933841  |