

FMO2 polyclonal antibody

BackGround:Purification&Purity:This gene encodes a flavin-containing monooxygenase family member. It is an NADPH-dependent enzyme that catalyzes the N-oxidation of some primary alkylamines through an N-hydroxylamine intermediate. However, some human populations contain an allele (FMO2*2A) with a premature stop codon, resulting in a protein that is C-terminally-truncated, has no catalytic activity, and is likely degraded rapidly. This gene is found in a cluster with other related family members on chromosome 1. Al- ternative splicing results in multiple transcript variants.Molification: UnmodificationWB,1:500 - 1:2000Product:Molification: UnmodificationMolification: DATA:Note:Note:Refer to figuresNote:Swiss-Prot:O99518	Catalog: BS75552	Host: Rabbit	Reactivity: Mouse, Rat
ternative splicing results in multiple transcript variants.Intofunction.Product:UnmodificationImg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2DATA:Molecular Weight:Note:Refer to figuresFor research use only, not for use in diagnostic procedure.Swiss-Prot:Unmodification	BackGround: This gene encodes a flavin-containing monooxygenase family member. It is an NADPH-dependent enzyme that catalyzes the N-oxidation of some primary alkylamines through an N-hydroxylamine intermediate. However, some human populations contain an allele (FMO2*2A) with a premature stop codon, resulting in a protein that is C-terminally-truncated, has no catalytic activity, and is likely degraded rapidly. This gene is found in a cluster with other related family members on chromosome 1. Al- ternative splicing results in multiple transcript variants.		Purification&Purity: re The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE). rr, Applications: a) WB,1:500 - 1:2000 S Storage&Stability: S Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.
Img/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2Note:Molecular Weight:Note:Refer to figuresFor research use only, not for use in diagnostic procedure.Swiss-Prot:Vote:			Unmodification
Molecular Weight: For research use only, not for use in diagnostic procedure. Refer to figures Swiss-Prot:	•	odium azide, 50% glycero	l,
Swiss-Prot:	Molecular Weight: Refer to figures		

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: <u>info@bioworlde.com</u> Tel: 6123263284 Fax: 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151