

## Phospho-TAK1-T184 polyclonal antibody

	e e e e e e e e e e e e e e e e e e e
<b>BackGround:</b> The protein encoded by this gene is a member of the ser- ine/threonine protein kinase family. This kinase mediates the signaling transduction induced by TGF beta and morphogenetic protein (BMP), and controls a variety of cell functions including transcription regulation and apoptosis. In response to IL-1, this protein forms a kinase	Swiss-Prot: O43318 Purification&Purity: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific im- munogen and the purity is > 95% (by SDS-PAGE). Applications:
apoptosis. In response to IL-1, this protein forms a kinase complex including TRAF6, MAP3K7P1/TAB1 and MAP3K7P2/TAB2; this complex is required for the acti- vation of nuclear factor kappa B. This kinase can also ac- tivate MAPK8/JNK, MAP2K4/MKK4, and thus plays a role in the cell response to environmental stresses. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. <b>Product:</b> 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2 <b>Molecular Weight:</b>	Applications:WB,1:500 - 1:2000Storage&Stability:Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.Modification:PhosphorylatedDATA:Note:For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.Add:1660 South Highway 100, Suite 500 St. Louis Park,<br/>MN 55416,USA.Email:info@bioworlde.comTel:6123263284Fax:6122933841