

# Steroidogenic factor-1 (SF-1/NR5A1) polyclonal antibody

Catalog: BS8019

Host: R

Rabbit

Reactivity: Human, Mouse, Rat

### **BackGround:**

The protein encoded by this gene is a transcriptional activator involved in sex determination. The encoded protein binds DNA as a monomer. Defects in this gene are a cause of XY sex reversal with or without adrenal failure as well as adrenocortical insufficiency without ovarian defect.

#### **Product:**

1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

50KDa

**Swiss-Prot:** 

Q13285

**Purification&Purity:** 

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

**Applications:** 

WB,1:500 - 1:2000

**Storage&Stability:** 

Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Category:**


Polyclonal Antibodies

**DATA:** 

150kDa — 100kDa — 70kDa — 50kDa — 40kDa — 35kDa —

Western blot analysis of extracts of Mouse testis, using Steroidogenic factor-1 antibody at 1:1000 dilution.<br/>br/>Secondary antibody:<br/>HRP Goat Anti-Rabbit IgG at 1:10000 dilu-

tion.<br/>br/>Lysates/proteins: 25ug per lane.<br/>Blocking buffer: 3% nonfat dry milk in TBST.<br/>br/>Detection: ECL Basic Kit .<br/>Exposure time: 60s.



Western blot analysis of extracts of various cell lines, using Steroidogenic factor-1 antibody at 1:1000 dilution.<br/>Secondary antibody: HRP Goat Anti-Rabbit IgG at 1:10000 dilution.<br/>br/>Lysates/proteins: 25ug per lane.<br/>br/>Blocking buffer: 3% nonfat dry milk in TBST.<br/>br/>Detection: ECL Basic Kit .<br/>br/>Exposure time: 180s.

#### Note:

Fax:

For research use only, not for use in diagnostic procedure.

## Bioworld Technology, Inc.

 
 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

#### Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686

0086-025-68035151