

BS90130

Catalog:

Host: Rabbit

## **Bcl-6 polyclonal antibody**

Catalog. 2000100 1105t. 1400h	Redetivity. Human, mouse
BackGround:	WB:1:1,000-1:5,000
Bcl-6, a transcriptional repressor, binds Stat recogni-	Storage&Stability:
tion-like DNA elements and influences germinal center	Store at +4 $^{\rm C}$ after thawing. Aliquot store at -20 $^{\rm C}$ o
development and Th1/Th2 differentiation. Bcl-6 nega-	-80 °C. Avoid repeated freeze / thaw cycles.
tively regulates NFkB expression, thereby inhibiting	Specificity:
NFkB-mediated cellular functions. HDAC- and silent in-	Bcl-6 polyclonal antibody detects endogenous levels of
formation regulator (SIR)-2-dependent acet-ylation of	Bcl-6 protein.
Bcl-6 causes downregulation of activity by inhibiting the	DATA:
ability of Bcl-6 to recruit complexes containing histone	kDa
deacetylases (HDACs). Bcl-6 is frequently deregulated in	-150
non-Hodgkin's B cell lymphomas. The human BCL6 gene	-100
has been shown to encode a protein of 706 amino acids.	-75
Product:	
Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide,	-50
50% glycerol, pH7.2	-37
Molecular Weight:	Western blot analysis of Bcl-6 on NIH-3T3 cell lysate using anti-Bcl-6
	antihadaa at 1/500 dilatian

## 79 kDa

**Swiss-Prot:** 

P41182(Human) P41183(Mouse)

**Purification&Purity:** 

ProA affinity purified

**Applications:** 

Reactivity: Human, Mouse

antibody at 1/500 dilution.

## Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.		
Add:	1660 South Highway 100, Suite 500 St. Louis Park,	
	MN 55416,USA.	
Email:	info@bioworlde.com	
Tel:	6123263284	
Fax:	6122933841	

## Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: info@biogot.com 0086-025-68037686 Tel: 0086-025-68035151 Fax: