

Follistatin (R163) polyclonal antibody

Catalog: BS9231

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Follistatin is a high affinity binding protein of Activin originally isolated for its role in regulating the release of follicle-stimulating hormone (FSH). Follistatin forms a group of interrelated factors with Activins and inhibins, members of the transforming growth factor β (TGF β) superfamily. Activin, follistatin and Activin receptors are expressed in many tissues, where they function as autocrine/paracrine regulators of a variety of physiological processes including reproduction. Follistatin is an important regulator of pituitary FSH secretion.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 70 kDa

Swiss-Prot:

P19883

Purification&Purity:

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

Applications:

WB: 1:500~1:1000

IHC: 1:50~1:200


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Specificity:

Follistatin (R163) polyclonal antibody detects endogenous levels of Follistatin protein.

DATA:



Immunohistochemistry (IHC) analyzes of Follistatin (R163) pAb in paraffin-embedded human breast carcinoma tissue at 1:100. **Note:**

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: info@biogot.com Tel: 0086-025-68037686 Fax: 0086-025-68035151