

PKC ζ (Phospho-T560) polyclonal antibody

Catalog: BS94052

Host: Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Members of the protein kinase C (PKC) family play a key regulatory role in a variety of cellular functions including cell growth and differentiation, gene expression, hormone secretion and membrane function. PKCs were originally identified as serine/threonine protein kinases whose activity was dependent on calcium and phospholipids. Diacylglycerols (DAG) and tumor promoting phorbol esters bind to and activate PKC. PKCs can be subdivided into many different isoforms (α , β I, β II, γ , δ , ϵ , Ω , h , θ , λ , ι , ν and ξ). Patterns of expression for each PKC isoform differ among tissues and PKC family members exhibit clear differences in their cofactor dependencies. For instance, the kinase activities of PKC δ and ϵ are independent of Ca^{++} . On the other hand, most of the other PKC members possess phorbol ester-binding activities and kinase activities.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

68 kDa

Swiss-Prot:

Q05513(Human) Q02956(Mouse) P09217(Rat)

Purification&Purity:

ProA affinity purified

Applications:

WB:1:1,000-1:5,000

IHC:1:50-1:200


Storage&Stability:

Store at +4 °C after thawing. Aliquot store at -20 °C or -80 °C. Avoid repeated freeze / thaw cycles.


Specificity:

PKC ζ (Phospho-T560) polyclonal antibody detects endogenous levels of PKC ζ protein only when phosphorylated at T560.

DATA:



Western blot analysis of Phospho-PKC zeta(T560) on mouse eyeball lysates using anti-Phospho-PKC zeta(T560) antibody at 1/1,000 dilution.



Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using anti-Phospho-PKC zeta(T560) antibody. Counter stained with hematoxylin.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416, USA.

Email: info@bioworld.com

Tel: 6123263284

Fax: 6122933841

Bioworld technology, co. Ltd.

Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

Email: info@biogot.com

Tel: 0086-025-68037686

Fax: 0086-025-68035151