

Histone H2A (Hydroxyl-Y39) Rabbit monoclonal antibody

Catalog: BS9861M

Host: Ral

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. Global mass spectrometric analysis of histone H2A variants/subtypes and their modifications have only recently been carried out. Nine histone H2A subtypes have been identified, including H2A2A and H2A2B. The two main H2A variants, H2AO and H2AC, as well as H2AL, were either acetylated at Lys 5 or phosphorylated at Ser 1. For the replacement histone H2AZ, acetylation at Lys 4 and Lys 7 was found.

Product:

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

Molecular Weight:

~ 15 kDa

Swiss-Prot:

P04908/P28001/P35065/Q93077/Q99878

Purification&Purity:

Protein A affinity purified

Applications:

WB: 1:1000-1:2000

IHC: 1:50-1:200


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.


Specificity:

This antibody detects endogenous levels of Histone H2A protein only when Hydroxyl at Tyr9.

DATA:



Western blot (WB) analysis of Histone H2A (Hydroxyl-Y39) Rabbit mAb at 1:1000 dilution Lane1:Hela whole cell lysate Lane2:NIH/3T3 whole cell lysate



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue using anti-Histone H2A (Hydroxyl Y39) antibody. Counter stained with hematoxylin.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add:	1660 South Highway 100, Suite 500 St. Louis Park,
	MN 55416,USA.
Email:	info@bioworlde.com
Tel:	6123263284
Fax:	6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046,

 Add:
 No 9, weidi road Qixia District Nanjing, 210046

 P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151