

NFAT2 polyclonal antibody

Catalog:	BZ16134	Host:	Rabbit	Reactivity:	Human,Mouse
BackGrou	nd:			KDa	Huvec
NFAT proteins are predominantly expressed in cells of the				130 100	-
immune system, but are also expressed in skeletal muscle,				70	
keratinocytes, and adipocytes, regulating cell differentia-				55	
tion programs in these cells.				40	
Product:				35	
Liquid in PBS containing 50% glycerol, 0.5% BSA and				25	
0.02% sodium azide, pH 7.3.				Western blot analysis of NFA	AT2 in HuvEc lysates using NFAT2 anti-
Molecular Weight:				body.	
Calculated MW: 101 kDa; Observed MW: 105 kDa					
Swiss-Prot	•				
095644					A CARLEY AND
Purificatio	n&Purity:				
Affinity Pur	ified				
Applications:				<u>100 µ fi</u>	
	1/1000 IHC: 1/:	50-1/100 ELIS	A: 1/10000	11 M. 194	
Storage&Stability:				Immunohistochemistry analysis of paraffin-embedded Human lung us-	
Store at $4 ^{\circ}{\rm C}$ short term. Aliquot and store at $-20 ^{\circ}{\rm C}$ long			t -20 ℃ long	ing NFAT2 antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.	
term. Avoid freeze-thaw cycles.			U	Note:	leval.
Isotype:					not for use in diagnostic procedure
IgG				1 of research use only,	not for use in diagnostic procedure
DATA:					

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park,

Auu:	1000 South Highway 100, Suite 500 St. Louis I alk				
	MN 55416,USA.				
Email:	info@bioworlde.com				
Tel:	6123263284				
Fax:	6122933841				