

PI3 Kinase p110 delta polyclonal antibody

Catalog:	: BZ16137 Host: Rabbit		Reactivity: Human, Mouse			
BackGrou	ind:			DATA:		
Plays a key role by recruiting PH domain-containing pro-					HepG2	
teins to the membrane, including AKT1 and PDPK1, ac-					138- 100 70	
tivating signaling cascades involved in cell growth, sur-					55 40	
vival, proliferation, motility and morphology. Mediates					35	
immune responses. Plays a role in B-cell development,					25	
proliferation, migration, and function. Required for B-cell					15	
receptor (B	CR) signaling.					

Product:

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Molecular Weight:

Calculated MW: 119 kDa; Observed MW: 119 kDa

Swiss-Prot:

O00329

Purification&Purity:

Affinity Purified

Applications:

WB: 1/500-1/1000 IHC: 1/50-1/100 ELISA: 1/10000


Storage&Stability:

Store at $4 \,^{\circ}{\rm C}$ short term. Aliquot and store at $-20 \,^{\circ}{\rm C}$ long term. Avoid freeze-thaw cycles.

Isotype:

IgG

Western blot analysis of PI3 Kinase p110 delta in HepG2 lysates using PI3 Kinase p110 delta antibody.



Immunohistochemistry analysis of paraffin-embedded mouse brain using PI3 Kinase p110 delta antibody.High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc. Add: 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA. Email: info@bioworlde.com Tel: 6123263284 Fax: 6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: info@biogot.com Tel: 0086-025-68037686 Fax: 0086-025-68035151