

HEXIM1 polyclonal antibody

Catalog: BZ16440

Host: Rab

Rabbit

Reactivity: Human, Mouse, Rat

BackGround:

Transcriptional regulator which functions as a general RNA polymerase II transcription inhibitor (Pub-Med:14580347, PubMed:15713661, PubMed:15201869). In cooperation with 7SK snRNA sequesters P-TEFb in a large inactive 7SK snRNP complex preventing RNA polymerase II phosphorylation and subsequent transcripelongation (PubMed:12832472, tional Pub-Med:14580347, PubMed:15713661, PubMed:15201869). May also regulate NF-kappa-B, ESR1, NR3C1 and CII-TA-dependent transcriptional activity (Pub-Med:15940264, PubMed:15941832, PubMed:17088550). Plays a role in the regulation of DNA virus-mediated innate immune response by assembling into the HDP-RNP complex, a complex that serves as a platform for IRF3 phosphorylation and subsequent innate immune response activation through the cGAS-STING pathway (Pub-Med:28712728).

Product:

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Molecular Weight:

Calculated MW: 41 kDa; Observed MW: 41 kDa

Swiss-Prot:

O94992

Purification&Purity:

Affinity Purified

Applications:


WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 ELISA: 1/10000

Storage&Stability:

Store at 4 °C short term. Aliquot and store at -20 °C long


term. Avoid freeze-thaw cycles.

Isotype:
IgG
DATA:



Western blot analysis of HEXIM1 in rat HEART lysates using HEXIM1 antibody.

Immunofluorescence analysis of HEXIM1 in HeLa using HEXIM1 antibody. The picture on the right is blocked using the synthesized peptide.



Western blot analysis of HEXIM1 in NIH/3T3 lysates using HEXIM1 antibody. The lane on the right is blocked with the synthesized peptide. Western blot analysis of HEXIM1 in theHeLa lysates using HEXIM1 antibody

Note:

For research use only, not for use in diagnostic procedure.

Bioworld Technology, Inc.

Add:	1660 South Highway 100, Suite 500 St. Louis Park,
	MN 55416,USA.
Email:	info@bioworlde.com
Tel:	6123263284
Fax:	6122933841

Bioworld technology, co. Ltd. Add: No 9, weidi road Qixia District Nanjing, 210046, P. R. China. Email: <u>info@biogot.com</u> Tel: 0086-025-68037686 Fax: 0086-025-68035151