

# XRCC5 (phospho-T714) polyclonal antibody

Catalog: BS4240

Host: Rabbit

Reactivity: Human, Mouse, Rat

## **BackGround:**

XRCC5 encoded by this gene is the 80-kilodalton subunit of the Ku heterodimer protein which is also known as ATP-dependant DNA helicase II or DNA repair protein XRCC5. Ku is the DNA-binding component of the DNA-dependent protein kinase, and it functions together with the DNA ligase IV-XRCC4 complex in the repair of DNA double-strand break by non-homologous end joining and the completion of V(D)J recombination events. This gene functionally complements Chinese hamster xrs-6, a mutant defective in DNA double-strand break repair and in ability to undergo V(D)J recombination. A rare microsatellite polymorphism in this gene is associated with cancer in patients of varying radiosensitivity.

#### **Product:**

Rabbit IgG, 1mg/ml in PBS with 0.02% sodium azide, 50% glycerol, pH7.2

**Molecular Weight:** 

~ 82 kDa

**Swiss-Prot:** 

P13010

## **Purification&Purity:**

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen and the purity is > 95% (by SDS-PAGE).

#### **Applications:**

WB: 1:500~1:1000

IHC: 1:50~1:200

**Storage&Stability:** 


Store at  $4 \,^{\circ}{\rm C}$  short term. Aliquot and store at  $-20 \,^{\circ}{\rm C}$  long term. Avoid freeze-thaw cycles.

#### **Specificity:**

p-XRCC5 (T714) polyclonal antibody detects endoge-

nous levels of XRCC5 protein only when phosphorylated at Thr714

**DATA:** 




Western blot (WB) analysis of p-XRCC5 (T714) pAb at 1:500 dilution Lane1:A549 whole cell lysate(40ug)

Lane2:A549 treated with UV for 5 minutes then repair for 1 hour whole cell lysate(40ug)

Lane3:A549 treated with UV for 5 minutes then repair for 6 hours whole cell lysate(40ug)

Lane4: The Brain tissue lysate of Mouse(40ug)

Lane5: The Uterus tissue lysate of Rat(40ug)



Immunohistochemistry (IHC) analyzes of p-Ku-80 (T714) pAb in paraf-

fin-embedded human breast carcinoma tissue at 1:100.

#### Note:

For research use only, not for use in diagnostic procedure.

### Bioworld Technology, Inc.

 
 Add:
 1660 South Highway 100, Suite 500 St. Louis Park, MN 55416,USA.

 Email:
 info@bioworlde.com

 Tel:
 6123263284

 Fax:
 6122933841

#### Bioworld technology, co. Ltd.

 
 Add:
 No 9, weidi road Qixia District Nanjing, 210046, P. R. China.

 Email:
 info@biogot.com

 Tel:
 0086-025-68037686

 Fax:
 0086-025-68035151